

## I. Introduction & Core Problem

### Objective:

To reconstruct visual experiences from EEG signals in order to advance both machine learning and cognitive neuroscience.

### Challenge:

EEG signals suffer from a low signal-to-noise ratio and limited spatial resolution, which restricts the generation of coherent, high-quality images.

As a result, outputs are often ambiguous, biased, or visually incoherent.


### Our Approach:

We propose a text-mediated framework that bridges EEG signals with semantic captions to guide image synthesis.

This strategy improves not only image quality, but also the interpretability of the decoding process.

## II. Methods

### Train Time



### Inference

#### Phase 1: Training

- Semantic Vocabulary:** Large language model generates multilevel captions (object, spatial, thematic) for each image.
- EEG-Semantic Alignment:** Transformer encoder aligns EEG signals with captions using contrastive learning [2].

#### Phase 2: Inference


- Semantic Retrieval:** EEG input is mapped to the most relevant captions via the trained encoder.
- Image Generation:** Retrieved captions condition a pretrained latent diffusion model [1] to generate high-quality images.

## III. Results

Our framework sets a new state-of-the-art EEG-to-image generation schema on the public EEGCVPR dataset [3].



(a) Real Images




(b) Generated Images

Dataset	Model	Type	IS↑	KID↓	PixCorr↑	SSIM↑	Alex2↑	Alex5↑	Inception↑	CS↑	SwAV↓
EEGCVPR (Spampinato et al., 2017)	EEGStyleGAN-ADA (Singh et al., 2024)	GAN	10.82	0.56	-	-	-	-	-	-	-
	EEG-ViT (Akbari et al., 2024)	GAN	12.17	0.05	-	-	-	-	-	-	-
	NeuroVision (Khare et al., 2022)	GAN	5.15	-	-	-	-	-	-	-	-
	Improved-SNGAN (Zheng et al., 2020)	GAN	5.53	-	-	-	-	-	-	-	-
	Brain2Image-VAE (Kavasidis et al., 2017)	VAE	4.49	-	-	-	-	-	-	-	-
	<b>Ours</b>	Diffusion	<b>37.29 ± 0.32</b>	<b>0.009 ± 0.009</b>	<b>0.06</b>	<b>0.30</b>	<b>0.65</b>	<b>0.80</b>	<b>0.88</b>	<b>0.88</b>	<b>0.57</b>

**Evidence:** Generated images exhibit strong visual fidelity and semantic alignment with ground truth, validated through qualitative and quantitative benchmarks.


**Performance:** Achieves state-of-the-art results, surpassing prior methods [4] in Inception Score (IS), Kernel Inception Distance (KID), and CLIP Score.

## IV. Interpretability



### Neural Mapping:

Saliency maps reveal low-level features (e.g., color) in occipital regions and high-level semantics (e.g., theme) in frontal areas, aligning with neurocognitive principles.




### Encoder Head Specialization:

- ObjectSnap:** Captures object-level details (e.g., items, colors); linked to occipital regions.
- SpatialLink:** Focuses on spatial layouts (e.g., object arrangements, scene structure); tied to parietal regions.
- ThemeTag:** Encodes themes and emotions (e.g., mood, abstract concepts); engages frontal regions.

### Semantic Specialization:

Encoder heads (ObjectSnap, SpatialLink, ThemeTag) specialize in distinct semantic roles, accounting for ~90% of EEG-caption alignment.



**Insight:** Provides a transparent view into how EEG signals encode visual semantics.

## V. Conclusion & References

### Summary:

We propose a novel EEG-to-image framework leveraging multilevel semantic prompts to achieve interpretable, high-fidelity visual reconstruction. Our model sets a new benchmark on EEGCVPR and offers insights into the brain's semantic organization.

### Contributions:

- Multilevel semantic prompts for EEG-to-image synthesis.
- State-of-the-art performance with interpretable neural mappings.
- Scalable framework integrating EEG with pretrained diffusion models.

### References

- [1] Rombach, R., et al. (2022). High-resolution image synthesis with latent diffusion models. CVPR.
- [2] Radford, A., et al. (2021). Learning transferable visual models from natural language supervision. ICML.
- [3] Singh, P., et al. (2024). Learning robust deep visual representations from EEG brain recordings. WACV.
- [4] Akbari, A., et al. (2024) Joint Learning for Visual Reconstruction from the Brain Activity: Hierarchical Representation of Image Perception with EEG-Vision Transformer. NeurIPS Workshop.